Risk Assessm	ient:			E	Expectant Mothers				
Site:	St Louis								
Assessor:	Matteo Muscion	со	Date: Mar-2020						
Activity or Tas	sk:								
People at risk:	: 1	Pupils	Staff	Parents	Visitors	Contractors	Everyone		

People at risk.	Fupiis	Sid	II Parents	VISILOIS	Contractors	Everyone			
In case of emergencie	s: Physical injuries= firs	Physical injuries= first aiders, Fire= press fire call point, Premises= school procedures, Any other issue= office staff or Head							
Responsibilities:	Headteacher= asses	Headteacher= assess worker, Site Manager=equipment checks & RA support, worker=communicate pregnancy asap							
Hazards:	Risks:	R.R. E	xisting measures:	R.R.R.	New Measures				

Hazards:	Risks:	R.R.	Existing measures:	R.R.R.	New Measures:	
<ul> <li>work equipment</li> </ul>	- cuts/bruises	3	- maintenance regime in place	2		
<ul> <li>play equipment</li> </ul>	<ul> <li>muscle sprains</li> </ul>	2	<ul> <li>no lifting of any kind allowed</li> </ul>	2		
	- noise	6	apart from personal equipment	4		
	- back ache		(chairs, laptop etc)			
	- vibration		- routine checks in place for equipment			
			- avoid working with equipment that			
			causes whole body or localised			
			vibration			
			- avoid lifting from floor if possible			
			- ·			
- grounds	- slips & trips	3	- weekly checks of walkways & grounds	2		
- steps	- difficult evac	3	- regular checks of evac routes	3		
<ul> <li>walkways &amp; staircases</li> </ul>	- strains going up	9	- signage in place for high level steps	6		
	and down stairs		- headteacher to assess if working			
			from ground floor is possible			
			- PEEP in place if necessary			
			- headteacher to consider relocating			
			the worker to ease evacuation			
- contact with viruses	- harm to the	3	- expectant mother not allowed to clean	1	- consider extra cleaning of	
Contact with Viruses	unborn child	4	bodily fluids	4	surfaces if known virus has	
	difform critic	12	- prompt communication system in place	4	been found to be present in	
		12	for known viruses that could cause harm	-	school	
- chemicals	- harm to the unborn	3	- only low hazard chemicals allowed for	1	acridor	
		4				
- solutions	child		cleaning	4		
		12	- COSHH assessments in place	4		
			- expectant mother not allowed to use any			
			hazardous chemical			
			<ul> <li>cleaning products stored in locked cupb.</li> </ul>			
<ul> <li>extreme temperatures</li> </ul>		3	<ul> <li>avoid working in areas with higher than</li> </ul>	2		
		2	normal temperatures	2		
		6	<ul> <li>increase ventilation if possible</li> </ul>	4		
			<ul> <li>avoid working on colder than normal</li> </ul>			
			areas and outside if practicable			
<ul> <li>lone working</li> </ul>		3	- no lone working allowed during the day	2	<ul> <li>consider a "buddy check"</li> </ul>	
		3	without assessment and approval by Head	2	system at regular intervals if	
		9	- no lone working allowed in the evening	4	lone working is unavoidable	
			- have a mobile phone at handy at all times			
			<ul> <li>avoid unlit areas at all times</li> </ul>			
<ul> <li>ladders, steps, stepladders</li> </ul>	- slipps & trips	3	- no work on ladders/stepladdeers allowed	1		
- performance stage	- loss of balance	3	- avoid walking over stage at the later	3		
	- falling from height	9	stages of pregnancy	3		
			- avoid ANY work at height if possible,			
			discuss with Head if needed			
- refuse, waste	- cuts	3	- no handling of rubbish allowed	1		
- bodily fluids	- spread of bacteria	3	- expectant mother not allowed to clean	3		
bodily indias	- apread or bacteria	9	bodily fluids	3		
- pc, laptops, tablets	- back ache	4	- workstation assessment if needed	2		
- po, iaptops, tablets	- back ache - muscle strains	1	- short breaks and allow to stretch	1		1
	<ul> <li>nuscle strains</li> <li>headaches</li> </ul>	4	<ul> <li>short breaks and allow to stretch</li> <li>avoid working longer hours in same position</li> </ul>	2		1
	- neadacnes	4	- avoiu working longer nours in same position	2	l	I

